# **Transport and transport systems**

For the transport of samples and blood products



The complete solution for mailing and transport







Safe and guideline compliant




## Transport case

#### Testing and evaluation

The complete packaging system has been positively evaluated by the German Federal Institute for Materials Research and Testing (BAM).

The requirements of the P 650 Packaging Instruction for substance class UN 3373 of the ADR and RID are fully complied with.



#### Preanalytical components

An insulation layer made of highly-insulating foam material ensures for a stable sample temperature in combination with

standard cool batteries (-18°C) that are inserted into special battery bags.

The battery bag with its honeycomb-shaped, fully-synthetic material prevents sample damage due to freezing of the sample on contact with the battery thanks to its insulating layer.



#### Variable

The transport case is available as a wide aperture version or with a plastic bag and closure clip, which is particularly suitable for the transport of samples in racks.



Integrated rim in the insulation material for optimal positioning of block racks with handles.




### For transport in accordance with P 650

#### Primary container

For liquids, the primary container must be capable of withstanding an internal pressure that results in a pressure difference of at least 95 kPa (0.95 bar) without loss of fluid.

For this reason, it is necessary that only primary containers with a certificate of differential pressure tightness are used.



#### Secondary packaging

A wide aperture and a plastic bag with closure clip are available as secondary packaging. The wide aperture has a sample capacity of approx. 250-300 primary tubes when subpackaged in bags. Unracked, the aperture holds approx. 400-450 primary tubes.


The plastic bag variant is primarily intended for sample transport in block racks. The sample capacity is 4 block racks each with 50 samples.



#### Absorbent material

Superabsorber with minimal space requirement.

- Capacity: approx. 1,2 ml
- There is a superabsorber in each case
- Additional superabsorbers may have to be added depending on the sample quantity



#### Outer packaging

The transport case provides optimum protection for the inner tubes thanks to a resistant polyethylene cover.

#### Features:

- Central single-hand fastening
- Rings for security tags or carrier straps
- · Address window for providing identification of the case





## Transport box

#### Testing and approval

The mailing boxes have been tested and approved by the German Federal Institute for Materials Research and Testing (BAM).

The requirements of the P 650 Packaging Instruction for substance class UN 3373 of the ADR, RID ICAO and IATA are fully complied with.




• Cost efficiency
The box is a cost-effective outer packaging.

Variable

The box is capable of accommodating all Sarstedt mailing containers and flasks in the various dimensions on offer.

Preanalytical components
 Depending on the version, the integrated locking mechanism and the enclosed foam bag allow for optimal fastening and padding of the secondary vessel, so that the sample material is not exposed to unnecessary mechanical strain.






## The packaging components

#### Primary container

For liquids, the primary container or secondary packaging must be capable of withstanding an internal pressure that results in a pressure difference of at least 95 kPa (0.95 bar) without loss of fluid. In all cases, the first vessel must be entirely leakproof.

For this reason, it is important that the correct combination of secondary packaging and primary container be selected.



#### Secondary packaging


When transporting liquids, only plastic primary containers that have been shown to be leakproof at a pressure difference of 95 kPa are to be used.

In addition, absorbent material must be inserted between the primary container and secondary packaging.

The mailing containers and mailing bottles are all available with absorbent liners.

The round mailing containers are leakproof at a pressure difference of 95 kPa.

The square mailing containers are leakproof.




#### Outer packaging

The mailing box provides optimum protection for the inner tubes and the rigid case fulfils the postal regulation requirements.

The box is available in three sizes.

A customised mailing address label is available on request. It is also possible to use Sarstedt self-adhesive labels with and without the mailing address.





## Transport case & accessories



#### Transport case with wide aperture

Order No.	Article name	Packaging
95.1715	Transport case T 15 Wide aperture as secondary packaging incl. 1 superabsorber pack L x W x H 395 x 395 x 435 mm, empty weight approx. 4.5 kg	1/case



#### Transport case with plastic bag

Order No.	Article name	Packaging
95.1717	Transport case B 17 Plastic bag with closure clip as secondary packaging incl. 1 superabsorber pack L x W x H 395 x 395 x 435 mm, empty weight approx. 4.0 kg	1/case
95.1717.003	Transport case B 19 without lateral rims, otherwise as B 17	1/case



#### Transport case with plastic bag

Order No.	Article name	Packaging
95.1717.011	Transport case B 13 Low version for single tier block racks, otherwise as B 17 L x W x H 395 x 395 x 280 mm, empty weight approx. 2.8 kg	1/case



#### Accessories

Order No.	Article name	Packaging
95.1712	Superabsorber pack approx. 1.2 I fluid intake	100/case
95.1713	Bag 270 x 270 x 600 x 0.1 mm	25/case
95.1714	220 mm clip closure	25/case
95.1725	Battery bag (without batteries), insulation bag for standard cool batteries, $110 \times 205 \times 2.6 \text{ mm}$	12/case
95.978	Plastic bag 230 x 310 mm with adhesive tape (not leakproof) For sub-packaging of sample tubes, unprinted Customised special prints possible from 50,000 pieces	1,000/case




#### Block racks with and without handle strip

Order No.	Article name	Packaging
93.852	Block rack D 17 for tubes up to Ø 16.8 mm, grey	20/case
93.852.171	Block rack D 17 for tubes up to Ø 16.8 mm, red	20/case
93.852.172	Block rack D 17 for tubes up to Ø 16.8 mm, yellow	20/case
93.852.173	Block rack D 17 for tubes up to Ø 16.8 mm, green	20/case
93.852.174	Block rack D 17 for tubes up to Ø 16.8 mm, blue	20/case
93.852.175	Block rack D 17 for tubes up to Ø 16.8 mm, orange	20/case
93.851	Block rack D 17 with handle strip for tubes up to Ø 16.8 mm, grey	12/case
93.851.171	Block rack D 17 with handle strip for tubes up to Ø 16.8 mm, red	12/case
93.851.172	Block rack D 17 with handle strip for tubes up to $\varnothing$ 16.8 mm, yellow	12/case
93.851.173	Block rack D 17 with handle strip for tubes up to $\varnothing$ 16.8 mm, green	12/case
93.851.174	Block rack D 17 with handle strip for tubes up to $\varnothing$ 16.8 mm, blue	12/case
93.851.175	Block rack D 17 with handle strip for tubes up to Ø 16.8 mm, orange	12/case




## Transport systems



#### Mailing container, round

#### \*Order numbers for coloured caps available on request

	Order No.	Article name	Packaging
	78.898 Mailing container 126 x Ø 30 mm with absorbent liner, without screw cap		250/case
<del>-</del>	65.679	Standard screw cap, neutral*	250/case
Fig	65.731	Special screw cap for Port-A-Cul tubes, neutral	250/case
	78.670	Separate absorbent liner	2,000/case
	70.000	M.T	500/
N	78.892	Mailing container 85 x Ø 30 mm with absorbent liner, without screw cap	500/case
Fig.	65.676	Standard screw cap, neutral*	500/case
ш	78.684	Separate absorbent liner	2,000/case
m	78.897	Mailing container 114 x Ø 44 mm with absorbent liner, without screw cap	250/case
Fig. 9	65.678	Standard screw cap, neutral	250/case
ш.	78.669	Separate absorbent liner	1,000/case



#### Mailing container, square

	Order No.	Article name	Packaging
-	78.573	114 x Ø 28 mm, with absorbent liner, incl. cap	250/case
Fig.	78.572	114 x Ø 28 mm, without absorbent liner, incl. cap	250/case
. 2	78.574.500	176 x Ø 28 mm, with absorbent liner, incl. cap	250/case
Fig.	78,574	176 x Ø 28 mm, without absorbent liner, incl. cap	250/case



#### Mailing boxes

Order No.	Article name	Packaging
95.900	Depending on the size of the mailing container, suitable for 1-4 mailing containers/bottles up to Ø 30 mm locking mechanism 198 x 107 x 38 mm	50/case (not assembled)
95.901	Depending on the size of the mailing container, suitable for 1-4 mailing containers/bottles up to Ø 44 mm Locking mechanism 198 x 107 x 50 mm	
95.902	Depending on the size of the mailing container, suitable for 1-10 mailing containers/bottles up to Ø 30 mm Attached foam bag 220 x 170 x 40 mm	50/case (not assembled)

Individual custom printing on request, minimum order 10,000 pcs.



#### Mailing bag

Order No.	Article name	Packaging
95.1410	PE mailing envelope 180 x 310 mm, unprinted	1,000/case
95.1411	PE mailing envelope 123 x 310 mm, unprinted	1,000/case
84.1412.033	Address label 145 x 98.5 mm, printed with "Exempt medical sample"	1,000/case


Kraft paper mailing envelopes and address labels available with customised printing for orders of 10,000 pieces or more



### Transportation systems

#### For the cooled transport of samples in accordance with P 650





Transport container for two sample tubes with dimensions of a maximum of 107 x 16.5 mm, e.g., 9 ml  $\,$ S-Monovette $^{\otimes}$  or 13 ml screw cap tube 101 x 16.5 mm.

Efficient cooling of the samples over several hours can be achieved by storing the containers in a freezer compartment (see figure above).

Not suitable for samples that cannot be frozen.

By using the appropriate mailing box and absorbent liners (see below), the cool transport container fully complies with the P 650 Packaging Instructions.

The container should be changed after five years.

Order No.	Article name	Packaging
95.995	Cool transport container incl. Styrofoam packaging and rubber band	6/case
95.1011	Styrofoam packaging as single unit with rubber band	42/case
78.671	Absorbent liners for use in cool transport containers	100/bag, 2,500/case

# Type-tested outer packaging in accordance with P 650

Appropriate mailing packaging for cool transport containers. In combination with foam bags, the mailing box can also be used as a mailing and transport system for up to 16 mailing containers.

Order No.	Article name	Packaging
95.903	Type-tested mailing box for cool transport containers, depending on the size of the mailing container, suitable for 1-16 mailing containers/bottles up to Ø 44 mm	50/case
95.1710	Single foam bag, 185 x 230 mm	200/case





## Transportation systems

#### For the internal transport of samples





Transport case for the safe transport of samples within a hospital or laboratory.

In order to meet the occupational health and safety requirements, in accordance with TRBA 100, transport cases are offered that are optimally adapted to the internal logistics of the hospital or laboratory.

The transport cases have a capacity of either 50 or 100 sample tubes or swabs, which can be transported in block racks.

Order No.	Article name	Packaging
95.1720.011	Transport case 270 x 170 x 215 mm with transparent lid, suitable for one D 17 block rack for 50 samples	1/case
95.1720	Transport case 360 x 310 x 275 mm with insert for two D13 block racks or D 17 block rack for up to 100 samples	1/case

#### Plastic bag with adhesive tape

The plastic bags are ideally suited for the sub-packaging of samples collected by transport service.

The bags in A4 format offer sufficient space for several sample tubes as well as request forms and can be closed with adhesive tape.

From a purchase quantity of 50,000 pieces, the bags can be supplied with customised printing.

Order No.	Article name	Packaging
95.978	Plastic bag 230 x 310 mm with adhesive tape (not leakproof), unprinted	1,000/case
95.978.xxx	Plastic bag 230 x 310 mm with adhesive tape (not leakproof), with custom. Printing (minimum purchase volume 50,000 pieces)	1,000/case





SARSTEDT AG & Co. KG P.O. Box 12 20 D-51582 Nümbrecht Phone: +49 2293 305 0 Fax: +49 2293 305 3992 export@sarstedt.com www.sarstedt.com

