

according to Regulation (EC) No 1907/2006

Micro tubes LH-Gel

Revision date: 13.08.2021 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Micro tubes LH-Gel

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

For plasma separation.

Uses advised against

Observe the instructions for use and handling.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: SARSTEDT AG & Co. KG

Street: Sarstedtstraße 1
Place: D-51588 Nümbrecht

Post-office box: 1220

D-51582 Nümbrecht

Telephone: +49 (0)2293 / 305 - 0 Telefax: +49 (0)2293 / 305 - 2470

e-mail: info@sarstedt.com

Contact person: Dr. Daniel Will Telephone: +49 (0)2293 / 305 - 4500

Jochen Hoffmann

e-mail: sicherheitsdatenblatt@sarstedt.com

Internet: www.sarstedt.com
Responsible Department: R & D Center

Supplier

Company name: SARSTEDT Ltd.

Street: Optimus Way, Optimus Point Place: GB-LE3 8JR Leicester

Telephone: +44 (0) 116 235 9023 Telefax: +44 (0) 116 236 6099

e-mail: info.gb@sarstedt.com Internet: www.sarstedt.com

1.4. Emergency telephone Call NHS 111 or a doctor (public). NPIS: 0344 892 0111 (healthcare

<u>number:</u> professionals).

Further Information

All information in this safety data sheet refers to the unused product and its preparation.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements: Harmful if inhaled.

Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Tris (2-ethylhexyl) trimellitate

Signal word: Warning



according to Regulation (EC) No 1907/2006

Micro tubes LH-Gel

Revision date: 13.08.2021 Page 2 of 10

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Additional advice on labelling

none

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

The article contains separating gel and lithium heparin (up to 40 I.U.). Depending on the article, a mixing aid may be included.

Hazardous components

| CAS No | Chemical name | Quantity | | | |
|-----------|--|--|----------|--|--|
| | EC No | Index No | REACH No | | |
| | GHS Classification | • | · | | |
| 3319-31-1 | Tris (2-ethylhexyl) trimellitate | | | | |
| | 222-020-0 | | | | |
| | Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H332 H312 H319 | | | | |
| 872-50-4 | N-methyl-2-pyrrolidone; 1- | N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone | | | |
| | 212-828-1 | 606-021-00-7 | | | |
| | Repr. 1B, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H360D H315 H319 H335 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | |
|-----------|----------------|---|-------------|--|
| | Specific Conc. | c. Limits, M-factors and ATE | | |
| 3319-31-1 | 222-020-0 | Tris (2-ethylhexyl) trimellitate | 40 - < 45 % | |
| | | inhalation: ATE = 11 mg/l (vapours); inhalation: LC50 = > 2,6 mg/l (dusts or mists); dermal: LD50 = > 1977 mg/kg; oral: LD50 = > 2000 mg/kg | | |
| 872-50-4 | 212-828-1 | N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone | | |
| | dermal: LD50 | dermal: LD50 = 8000 mg/kg; oral: LD50 = 3600 mg/kg STOT SE 3; H335: >= 10 - 100 | | |



according to Regulation (EC) No 1907/2006

Micro tubes LH-Gel

Revision date: 13.08.2021 Page 3 of 10

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink 1 glass of of water. The mixing aid itself can cause a blockage in the stomach and intestines. Do not give laxatives. Do not induce vomiting unless medically instructed to do so.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

In case of fire, the smoke may contain, in addition to the base material, combustion products with not definable toxic and / or irritant compositions. Combustion products may i.a. contain: carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Avoid contact with skin, eyes and clothes. Use personal protection equipment. Observe the instructions for use and handling. Wear suitable protective gloves when taking blood samples and handling potentially infectious material.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) or take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13



according to Regulation (EC) No 1907/2006

Micro tubes LH-Gel

Revision date: 13.08.2021 Page 4 of 10

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe the instructions for use and handling. Wear suitable protective gloves when taking blood samples and handling potentially infectious material.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

For plasma separation.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|----------|------------------------|-----|-------|-----------|---------------|--------|
| 872-50-4 | 1-Methyl-2-pyrrolidone | 10 | 40 | | TWA (8 h) | WEL |
| | | 20 | 80 | | STEL (15 min) | WEL |

8.2. Exposure controls





Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable protective gloves when taking blood samples and handling potentially infectious material.

Skin protection

Use of protective clothing.

Respiratory protection

Not required if used as intended.



according to Regulation (EC) No 1907/2006

Micro tubes LH-Gel

Revision date: 13.08.2021 Page 5 of 10

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid / Separating gel: pasty

Colour: white / colourless
Odour: characteristic

pH-Value: No data available

Changes in the physical state

Melting point:

No data available
Boiling point or initial boiling point and

No data available

boiling range:

Flash point: No data available

Flammability

Solid/liquid: No data available
Gas: No data available

Explosive properties

No data available.

Lower explosion limits:No data availableUpper explosion limits:No data availableAuto-ignition temperature:No data available

Self-ignition temperature

Solid: No data available
Gas: No data available
Decomposition temperature: No data available

Oxidizing properties

No data available

Vapour pressure:

Density:

No data available

No data available

Water solubility:

Preparation soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Relative vapour density:

Evaporation rate:

No data available

No data available

9.2. Other information

Solid content: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No data available.



according to Regulation (EC) No 1907/2006

Micro tubes LH-Gel

Revision date: 13.08.2021 Page 6 of 10

10.4. Conditions to avoid

Heating.

10.5. Incompatible materials

Oxidizing agents. Fluorine. Acids. Alkalis (alkalis).

10.6. Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

ATEmix calculated

ATE (inhalation aerosol) 3,427 mg/l

| CAS No | Chemical name | | | | | |
|-----------|--|---------------|---------|---------|--------|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 3319-31-1 | Tris (2-ethylhexyl) trimellitate | | | | | |
| | oral | LD50 mg/kg | > 2000 | Rat | | |
| | dermal | LD50 mg/kg | > 1977 | Rabbit | | |
| | inhalation vapour | ATE | 11 mg/l | | | |
| | inhalation (4 h) aerosol | LC50 mg/l | > 2,6 | Rat | | |
| 872-50-4 | N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone | | | | | |
| | oral | LD50 mg/kg | 3600 | Rat | IUCLID | |
| | dermal | LD50 mg/kg | 8000 | Rabbit | IUCLID | |

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

No data available

SECTION 12: Ecological information



according to Regulation (EC) No 1907/2006

Micro tubes LH-Gel

Revision date: 13.08.2021 Page 7 of 10

12.1. Toxicity

No acute toxicity is expected. The rings themselves may cause mechanical side effects in waterfowl or aquatic life if swallowed.

| | Swallowed. | | | | | | |
|-----------|--|---------------|----------|-----------|-----------------------------------|--------|--------|
| CAS No | Chemical name | | | | | | |
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 3319-31-1 | Tris (2-ethylhexyl) trimellitate | | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 100 | 96 h | Oryzias latipes | | |
| | Acute algae toxicity | ErC50 mg/l | > 100 | 72 h | Pseudokirchneriella subcapitata | | |
| | Acute crustacea toxicity | EC50 mg/l | > 180 | | Daphnia magna (Big water flea) | | |
| 872-50-4 | N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone | | | | | | |
| | Acute fish toxicity | LC50 | 832 mg/l | | Lepomis macrochirus (Bluegill) | IUCLID | |
| | Acute algae toxicity | ErC50 mg/l | > 500 | | Scenedesmus quadricauda | IUCLID | |
| | Acute crustacea toxicity | EC50 mg/l | ca. 4897 | 48 h | Daphnia magna (Big water flea) | IUCLID | |

12.2. Persistence and degradability

The product is expected to be environmentally inert. In sunlight, a photochemical degradation of the surface is expected. Significant biodegradation is not expected.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|--|---------|
| 3319-31-1 | Tris (2-ethylhexyl) trimellitate | 8,8 |
| 872-50-4 | N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone | -0,54 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|-----------|----------------------------------|-------|---------|--------|
| 3319-31-1 | Tris (2-ethylhexyl) trimellitate | < 2,7 | | |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Endocrine disrupting properties

The product has not been tested.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.



according to Regulation (EC) No 1907/2006

Micro tubes LH-Gel

Revision date: 13.08.2021 Page 8 of 10

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

N-methyl-2-pyrrolidone: 1-methyl-2-pyrrolidone

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30

2010/75/EU (VOC): 0,292 % 2004/42/EC (VOC): 0,292 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water



according to Regulation (EC) No 1907/2006

Micro tubes LH-Gel

Revision date: 13.08.2021 Page 9 of 10

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

First issue.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

VOC: Volatile Organic Compounds

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| Classification | Classification procedure | | | | |
|--------------------|--------------------------|--|--|--|--|
| Acute Tox. 4; H332 | Calculation method | | | | |
| Eye Irrit. 2; H319 | Calculation method | | | | |

Relevant H and EUH statements (number and full text)

H312 Harmful in contact with skin.
H315 Causes skin irritation.



according to Regulation (EC) No 1907/2006

Micro tubes LH-Gel

Revision date: 13.08.2021 Page 10 of 10

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation. H360D May damage the unborn child.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)