

The Refill-Revolution

Up to 70 % less storage space Up to 64 % less material



The Refill-Revolution



You can expect maximum precision, sophisticated design and highest purity from our products.

We have been manufacturing pipette tips for over 45 years. Combining our many years of experience, technical competence and our stateof-the-art production machines, we have developed an innovative and flexible new refill system. This system is guaranteed to meet all your requirements and applications, is robust and resource-saving as well as safe and reliable.

Read on to discover more about our refill revolution. Try it yourself and be impressed by the sophisticated details and new functions and advantages!

Your SARSTEDT team



Maximum Precision



45 years of experience



Technical competence



Contents

The refill revolution	02
One system—four options	04
The Box—universal and robust	06
The SingleRefill—ecological and sterile	80
The StackPack—economical and compact	10
A full box—quick and easy	12
The Bag—the economical alternative	14
The Refill Revolution—sustainable and environmentally conscious \dots	16
Convenient and tested	18
10 µl pipette tips—small and precise	20
20 µl pipette tips—long and precise	22
200 µl pipette tips—superior and effective	24
300 µl pipette tips—slim and flexible	26
1,000 µl pipette tips—proven and diverse	28
1,250 µl pipette tips—long and versatile	30

One system, four options

Saves up to 70% waste volume

The Box

The use of pipettes is pivotal in every laboratory. The improved SARSTEDT pipette tip box is the universal and robust solution at the heart of our new pipette tip system. Thanks to a resistant laser treatment on each tray, you can read important information such as volume, batch or shelf life reliably, conveniently and quickly. The box is the core element of our tip system.

p. 6

The SingleRefill

Sustainability is an important topic in today's society. With the new SARSTEDT SingleRefill you can now refill filter tips easily and economically. The closed design protects the pipette tips from contamination and allows hygienic and ecological refilling. The SingleRefill is the sustainable solution for your laboratory.

p. 8









The StackPack

High sample throughput requires efficiency. For years, the SARSTEDT StackPack has been the optimal solution for high tip throughputs. You can simply move individual trays into the box with just one hand. Thanks to the compact and sturdy design, you can also work with tips directly from the Stack-Pack. The innovative StackPack is the efficient work solution.

p. 10

The bag

Total flexibility is an indispensable tool. SARSTEDT pouch packaging is the cost-effective alternative. The simple pressure closure allows you to open and close the bag hygienically while the additional tamper-evident closure guarantees that the tips are contamination-free until use. The bag is the economical and flexible processing solution.

p. 14









The Box

universal and robust



Pivotal. Reliable. Convenient.

Versatile tool

The robust box is the essential tool in your laboratory. Do you prefer to work directly from a pre-loaded box? Do you like to use ecological refill systems? Or would you rather load your tips yourself? The box is the basis for your preferred tip handling.



Space-saving stacking system

The precise lid and base design makes it easier to stack several boxes on top of each other. Compact and stable, the new tip boxes are perfect for storage.



Secure closure

The precisely fitting closure mechanism makes the box a reliable everyday companion. Tightly sealed, it also withstands harsh conditions during transport, storage and autoclaving.



Tip

Smooth surfaces—slippery boxes? Then try out our rubber feet available as an additional accessory. Simply attach to the base to provide maximum stability on any laboratory bench.



The SingleRefill

ecological and sterile



Sustainable. Protected. Sterile.


Maximum protection

The interconnection of the base and lid protects the tips entirely from contamination—even after removing the packaging film. The SingleRefill can easily be placed into the box with maximum hygiene and protection.



Totally sterile

The high-purity refill system is particularly suitable for very demanding applications. Finally you can refill filter tips easily—even in our highest purity standard Biosphere® plus!



Uncompromising ecology

The innovative design uses up to 41% less material than the box. This lightweight design saves energy and resources. All parts of the SingleRefill can be stacked for disposal—this results in even less waste volume with maximum purity!



Volume, batch and shelf life—are laser coated on each tray and this valuable information can still be read even when moved into the box! The proven and well-known volume color code helps you find the tip you are looking for at a glance.



The StackPack

economical and compact



Efficient. Stable. Economical.

Economical stack system

The sophisticated stacking system offers compact space for 480 tips—at just the height of two boxes. This saves 70% storage space and uses only the footprint of one box!



Stable protection

The circumferential frames protect the tips from contamination. Their solid construction forms the strong backbone of the StackPack. Thanks to the clearly marked pressure points on the sides, the removal of individual trays is easy.



Spill-proof

The StackPack ensures that the trays are firmly anchored to each other for extraordinary stability. Even if dropped or tipped over, it won't come apart.



Tip

Large throughput, many tips—no problem! Simply use tips directly from the StackPack. The StackPack remains stable at all times due to its firm stand and stable frame.



A full box

quick and easy



Tray removal



Squeeze the side clips.



Lift tray up...



... and it's ready for compact disposal.

Inserting the SingleRefill



Insert the complete SingleRefill into the box.



Lightly push it into place.



Remove the cover and continue working.

Filling from the StackPack



Press the front and rear pressure points.



Lift out upwards.



Insert into the box and snap into place. Remove cover and continue working.

The Bag

the economical alternative



Hygienic. Affordable. Flexible.

Convenient closure

The strong bag can be hygienically resealed. This means you can refill your tip boxes as needed.



Secure sealing

The additional tamper-evident closure guarantees the tips are free of DNA, DNase, RNase and PCR inhibitors until use.



Colored variants

The yellow and blue options of the 200 μ l and 1000 μ l tips makes fast identification of both tips even easier!



Tip

The labels on the box lid can be removed without leaving any residue when refilling with tips from the bag. The box thus becomes a universal multi-purpose box for every tip variant.

The refill revolution

sustainable and environmentally conscious



It's your choice.

By choosing the right system for you, it means you'll always remain flexible. You can select our practical tip solutions according to your wishes and requirements both ecological and economical!

Energy saving

Our box system combines exceptionally high stability with minimum material requirements. The well impressive design saves plastic and thus also energy during production.



Space-saving

In the StackPack, 480 tips fit in the same space as 192 tips in two boxes. This saves storage space, optimizes logistics, and reduces fuel consumption during transport!



Resource-saving

The StackPack with its ideal packaging requires up to 64% less material than the box. This saves resources, and plastic consumption is minimized.



Reduces waste

After use, the individual components of the box system can be stacked on top of each other. This saves volume during disposal meaning the amount of waste is reduced.



Our raw materials

valuable and reusable*



Precise pipette tips, packaged in a convenient and well-thought-out system, are indispensable in your laboratory. But what to do with the box, the tray and the other packaging materials when you no longer need them?

With just a little effort, you can now save resources, reduce your waste and reuse the high-quality plastics!

Why?

Our pipette tips and their packaging are made of high-quality, single-type plastic. No elaborate separation is necessary for recycling. The materials can be easily reprocessed and reused for new products. This is environmentally friendly and conserves resources!

What?


The packaging materials of our pipette tips are valuable as well. With our recycling concept, they are specifically reused. In cooperation with our logistics partners, we first collect the outer packaging centrally. The plastics are then transported to a local waste disposal company and processed there. We then use the resulting regranulate for new products.

How?

We take the necessary steps for successful recycling for you! Stack the individual components of the box, the SingleRefill and the StackPack together to minimize space and pack them in a suitable carton. Enclose the clearance certificate* and contact us to collect the package free of charge. That is how easy it is to help conserve valuable raw materials!

^{*} For the current status of the What's Next recycling concept in your country, please inquire with your responsible SARSTEDT representative.

Convenient and tested



Versatile

Our pipette tips are as versatile as your applications. You can switch between filter tips, low retention tips and tips without filters. We guarantee you will find the optimum tip length and shape for every requirement.

Certified

Each batch is thoroughly checked visually, dimensionally and functionally. An independent laboratory confirms that the limit values of Biosphere® plus and PCR Performance Tested certification are met. Our batch certificates document this testing and approval process.

Compliant

Especially in certified, accredited or GMP laboratories, it is important to use pipette tips that comply with the international standard ISO 8655-2. Our certificates of conformity attest to the regular inspection of this standard.

Registered

SARSTEDT tips are CE-marked and approved as an in vitro diagnostic. They can be used for the analysis of specimens for diagnostic purposes.

Compatible

SARSTEDT tips fit universally on the pipettes of leading manufacturers. It is no longer a problem to use several types of pipettes in the laboratory.

Certified & reliable

Uncompromising standard quality.

Whether in the box, SingleRefill, Stack-Pack or bag—all new SARSTEDT tips carry the PCR Performance Tested seal and can be used immediately in all areas of DNA and RNA analysis.



Added security


Now also available in the new SingleRefill.

The new Biosphere® plus SingleRefill combines the outstanding purity of SARSTEDT tips with the convenient and economical box system.



10 µl pipette tips

small and precise



Precise DE-M

10 µl pipette tips are suitable for precise pipetting of even the smallest volumes of liquid due to their compact size and resulting minimal dead volume.

Innovat ive

The tip is suitable for any application thanks to its sophisticated new packaging system that adapts to your needs. Whether it's high-purity work with the SingleRefill, high throughput with the StackPack or simply a filled box—there is a suitable solution for every need.




Ordering information

Vol.	Order no.	Name	Filter	Purity	Design	Inner Packaging	Pieces per Case
	70.3010.275	Low retention filter tip, 10 µl, Biosphere® plus, transparent, 96 pcs./box	+		Low retention		1,920
	70.3010.375	Low retention filter tip, 10 μ l, Biosphere® plus, transparent, 96 pcs./single refill	+		Low retention		1,920
	70.3010.285	Low retention filter tip, 2.5 μ l, Biosphere® plus, transparent, 96 pcs./box	+		Low retention		1,920
	70.3010.385	Low retention filter tip, 2.5 μ l, Biosphere® plus, transparent, 96 pcs./single refill	+		Low retention		1,920
	70.3010.255	Filter tip, 10 μ l, Biosphere® plus, transparent, 96 pcs./box	+		Standard		1,920
	70.3010.355	Filter tip, 10 μ l, Biosphere® plus, transparent, 96 pcs./single refill	+		Standard		1,920
	70.3010.265	Filter tip, 2.5 μ l, Biosphere $^{\otimes}$ plus, transparent, 96 pcs./box	+		Standard		1,920
	70.3010.365	Filter tip, 2.5 µl, Biosphere® plus, transparent, 96 pcs./single refill	+		Standard	111111	1,920
10 µl	70.3010.205	Pipette tip, 10 μl, Biosphere® plus, transparent, 96 pcs./box	_		Standard		1,920
	70.3010.305	Pipette tip, 10 µl, Biosphere® plus, transparent, 96 pcs./single refill	_		Standard	111111	1,920
	70.3010.210	Low retention pipette tip, 10 µl, PCR performance tested, transparent, 96 pcs./box	_	PCR Pocher have	Low retention		1,920
	70.3010.110	Low retention pipette tip, 10 µl, PCR performance tested, transparent, 5 x 96 pcs./stack pack	_	PCR The state of t	Low retention		1,920
	70.3010.200	Pipette tip, 10 µl, PCR performance tested, transparent, 96 pcs./box	_	PCR PCR PCR PCR PCR PCR PCR PCR PCR PCR	Standard		1,920
	70.3010.100	Pipette tip, 10 µl, PCR performance tested, transparent, 5 x 96 pcs./stack pack	_	PCR Popularies have Popularies Populari	Standard		1,920
	70.3010	Pipette tip, 10 μl, PCR performance tested, transparent, 1,000 pcs./bag	_	PCR	Standard		10,000

Identification at a glance! In addition to the familiar gray color code of the trays, you can now also find the most important information about the tip directly on each tray.

20 µl pipette tips

long and precise



Reliable DE-M

The proven tip design in our new, innovative box system unites a familiar shape and revolutionary handling. The precision and compatibility of our tip with your pipette is confirmed by means of conformity checks meeting the international standard ISO 8655-2.

Tailor-made

With precise, universal tips, it is up to you to decide which pipettors you want to use. Our tips fit perfectly on most common pipettors. See www.sarstedt.com to check which tip fits your pipette!



Ordering information

Vol.	Order no.	Name	Filter	Purity	Design	Inner Packaging	Pieces per Case
	70.3020.275	Low retention filter tip, 20 μ l, Biosphere® plus, transparent, 96 pcs./box	+		Low retention	<u> </u>	1,920
	70.3020.375	Low retention filter tip, 20 µl, Biosphere® plus, transparent, 96 pcs./single refill	+		Low retention		1,920
	70.3020.255	Filter tip, 20 µl, Biosphere® plus, transparent, 96 pcs./box	+		Standard	<u> </u>	1,920
20 μl	70.3020.355	Filter tip, 20 µl, Biosphere® plus, transparent, 96 pcs./single refill	+		Standard	111111	1,920
	70.3020.205	Pipette tip, 20 μl, Biosphere® plus, transparent, 96 pcs./box	-		Standard		1,920
	70.3020.305	Pipette tip, 20 μl, Biosphere® plus, transparent, 96 pcs./single refill	-		Standard	111111	1,920
	70.3020.210	Low retention pipette tip, 20 μ l, PCR performance tested, transparent, 96 pcs./box	-	PCR MANAGEMENT OF THE POPULATION OF THE POPULATI	Low retention		1,920
	70.3020.110	Low retention pipette tip, 20 µl, PCR performance tested, transparent, 5 x 96 pcs./stack pack	-	PCR with the state of the state	Low retention	 	1,920
	70.3020.200	Pipette tip, 20 μl, PCR performance tested, transparent, 96 pcs./box	_	PCR merchanter merchanter for the offering	Standard	<u> </u>	1,920
	70.3020.100	Pipette tip, 20 µl, PCR performance tested, transparent, 5 x 96 pcs./stack pack	-	PCR Indicates have the district of the control of t	Standard	 	1,920
	70.3020	Pipette tip, 20 μl, PCR performance tested, transparent, 1,000 pcs./bag	_	PCR Profession hade PCR PCR PCR PCR PCR PCR PCR PC	Standard	11/	10,000

200 µl pipette tips

superior and effective



Ordering information

Vol.	Order no.	Name	Filter	Purity	Design	Inner Packaging	Pieces per Case
	70.3030.275	Low retention filter tip, 100 µl, Biosphere® plus, transparent, 96 pcs./box	+		Low retention	1111111	1,920
	70.3030.375	Low retention filter tip, 100 µl, Biosphere® plus, transparent, 96 pcs./single refill	+		Low retention		1,920
	70.3031.275	Low retention filter tip, 200 μ l, Biosphere® plus, transparent, 96 pcs./box	+		Low retention	1111111	1,920
	70.3031.375	Low retention filter tip, 200 µl, Biosphere® plus, transparent, 96 pcs./single refill	+		Low retention		1,920
	70.3030.285	Low retention filter tip, 20 μ l, Biosphere® plus, transparent, 96 pcs./box	+	(m)	Low retention	!!!!!!	1,920
	70.3030.385	Low retention filter tip, 20 µl, Biosphere® plus, transparent, 96 pcs./single refill	+	(m)	Low retention	[]]]]	1,920
	70.3030.255	Filter tip, 100 μl, Biosphere® plus, transparent, 96 pcs./box	+		Standard	1111111	1,920
	70.3030.355	Filter tip, 100 μ l, Biosphere $^{\circ}$ plus, transparent, 96 pcs./single refill	+		Standard		1,920
	70.3031.255	Filter tip, 200 μl, Biosphere® plus, transparent, 96 pcs./box	+		Standard	· · · · · · · · · · · · · · · · · · ·	1,920
	70.3031.355	Filter tip, 200 μ l, Biosphere $^{\circ}$ plus, transparent, 96 pcs./single refill	+		Standard		1,920
	70.3030.265	Filter tip, 20 μ l, Biosphere® plus, transparent, 96 pcs./box	+		Standard		1,920
	70.3030.365	Filter tip, 20 μ l, Biosphere® plus, transparent, 96 pcs./single refill	+		Standard		1,920
	70.3030.205	Pipette tip, 200 μ l, Biosphere® plus, transparent, 96 pcs./box	_		Standard		1,920
	70.3030.305	Pipette tip, 200 μ l, Biosphere® plus, transparent, 96 pcs./single refill	_		Standard		1,920
200 µl	70.3031.205	Pipette tip, 250 μ l, Biosphere® plus, transparent, 96 pcs./box	-		Standard	!!!!!!	1,920
	70.3031.305	Pipette tip, 250 μ l, Biosphere® plus, transparent, 96 pcs./single refill	_		Standard		1,920
	70.3030.210	Low retention pipette tip, 200 µl, PCR performance tested, transparent, 96 pcs./box	_	PCR Personal Parameters Pe	Low retention		1,920
	70.3030.110	Low retention pipette tip, 200 µl, PCR performance tested, transparent, 5 x 96 pcs./stack pack	-	PCR Malana Base	Low retention	 	1,920
	70.3031.210	Low retention pipette tip, 250 µl, PCR performance tested, transparent, 96 pcs./box	_	PCR	Low retention	[IIIII]	1,920
	70.3031.110	Low retention pipette tip, 250 µl, PCR performance tested, transparent, 5 x 96 pcs./stack pack	-	PCR Potentian land Prof. National Control (1977) (Aller Florida) Pro	Low retention	!!!!!! !!!!!! !!!!!!	1,920
	70.3030.200	Pipette tip, 200 µl, PCR performance tested, transparent, 96 pcs./box	_	PCR	Standard	1111111	1,920
	70.3030.100	Pipette tip, 200 μl, PCR performance tested, transparent, 5x 96 pcs./stack pack	_	PCR PROCESSION TO SERVICE STATE OF THE POPULATION OF THE POPULATIO	Standard	 	1,920
•	70.3031.200	Pipette tip, 250 μ l, PCR performance tested, transparent, 96 pcs./box	-	PCR	Standard		1,920
	70.3031.100	Pipette tip, 250 μ l, PCR performance tested, transparent, 5 x 96 pcs./stack pack	_	PCR Medical Base PCR ACTION OF THE PORT OF	Standard	 	1,920
	70.3031	Pipette tip, 200 μ l, PCR performance tested, transparent, 1,000 pcs./bag	_	PCR The Control of th	Standard	M	10,000
	70.3030	Pipette tip, 200 μ l, PCR performance tested, transparent, 1,000 pcs./bag	_	PCR Television State To the Control of the Contro	Standard	M	10,000
	70.3030.020	Pipette tip, 200 μl, PCR performance tested, yellow, 1,000 pcs./bag	_	PCR PPC CAMPACTURE PP	Standard	W	10,000

300 µl pipette tips

slim and flexible



Ergonomic design

Our new extra-slim tip easily fits into any reaction tube, screw cap micro tube and small tubes without touching the tube wall. With a length of 60 mm, it reaches to the bottom of the vessel and makes safe pipetting easier. The volume can be comfortably adjusted with the aid of the clear fill volume rings.

Innovative

The sophisticated, new packaging system makes it flexible for many different applications. Our system adapts to your needs. Whether you need high-purity SingleRefills, high throughput StackPacks or simply a filled box—there is a suitable solution for every need.





Ordering information

Vol.	Order no.	Name	Filter	Purity	Design	Inner Packaging	Pieces per Case
	70.3040.275	Low retention filter tip, 300 μ l, Biosphere® plus, transparent, 96 pcs./box	+		Low retention		1,920
	70.3040.375	Low retention filter tip, 300 μ l, Biosphere® plus, transparent, 96 pcs./single refill	+		Low retention		1,920
	70.3040.255	Filter tip, 300 μ l, Biosphere® plus, transparent, 96 pcs./box	+		Standard		1,920
	70.3040.355	Filter tip, 300 μ l, Biosphere $^{\circ}$ plus, transparent, 96 pcs./single refill	+		Standard		1,920
	70.3040.205	Pipette tip, 300 µl, Biosphere® plus, transparent, 96 pcs./box	_		Standard	1111111	1,920
300 µl	70.3040.305	Pipette tip, 300 $\mu l,$ Biosphere® plus, transparent, 96 pcs./single refill	_		Standard		1,920
300 μι	70.3040.210	Low retention pipette tip, 300 µl, PCR performance tested, transparent, 96 pcs./box	_	PCR Jesus Lord (15'1), db'1), (15'1), db'1),	Low retention	1111111	1,920
	70.3040.110	Low retention pipette tip, 300 µl, PCR performance tested, transparent, 5 x 96 pcs./stack pack	_	PCR	Low retention	111111 111111 111111	1,920
	70.3040.200	Pipette tip, 300 µl, PCR performance tested, transparent, 96 pcs./box	_	PCR The Control of t	Standard	1111111	1,920
	70.3040.100	Pipette tip, 300 µl, PCR performance tested, transparent, 5 x 96 pcs./stack pack	_	PCR Processor have Concessor to the Con	Standard	111111 111111 111111	1,920
	70.3040	Pipette tip, 300 μ l, PCR performance tested, transparent, 1,000 pcs./bag	-	PCR To recommend the second the	Standard	W	10,000

Do you work with particularly viscous or expensive substances? Then try our low retention tips for even better recovery!

1,000 µl pipette tips

proven and diverse



Universal

This versatile tip is available in a bag, a box, SingleRefill or StackPack. PCR Performance Tested and Biosphere® plus purity levels are available, as well as a low retention option.

Advanced

The $1,000\,\mu l$ tip is now available in our StackPack design for direct use or easy refilling. Or for extra protection, try our SingleRefill.



Ordering information

Vol.	Order no.	Name	Filter	Purity	Design	Inner Packaging	Pieces per Case
	70.3050.275	Low retention filter tip, 1,000 μ l, Biosphere® plus, transparent, 96 pcs./box	+	(PARTY AND	Low retention	<u> </u>	1,920
	70.3050.375	Low retention filter tip, 1,000 µl, Biosphere® plus, transparent, 96 pcs./single refill	+	(mark)	Low retention	 	1,920
	70.3050.255	Filter tip, 1,000 μl, Biosphere® plus, transparent, 96 pcs./box	+		Standard		1,920
	70.3050.355	Filter tip, 1,000 μl, Biosphere® plus, transparent, 96 pcs./single refill	+		Standard		1,920
	70.3050.205	Pipette tip, 1,000 μl, Biosphere® plus, transparent, 96 pcs./box	_		Standard	· · · · · · · · · · · · · · · · · · ·	1,920
	70.3050.305	Pipette tip, 1,000 μl, Biosphere® plus, transparent, 96 pcs./single refill	_		Standard		1,920
1,000 µl	70.3050.210	Low retention pipette tip, 1,000 µl, PCR performance tested, transparent, 96 pcs./box	-	PCR Fortunation of the state of	Low retention	<u> </u>	1,920
	70.3050.110	Low retention pipette tip, 1,000 µl, PCR performance tested, transparent, 5x 96 pcs./stack pack	-	PCR Personan Natural Personan Natural Pe	Low retention	!!!!!! !!!!!! !!!!!!	1,920
	70.3050.200	Pipette tip, 1,000 μ l, PCR performance tested, transparent, 96 pcs./box	_	PCR PCR PCR PCR PCR PCR PCR PCR	Standard	!!!!!!	1,920
	70.3050.100	Pipette tip, 1,000 μ l, PCR performance tested, transparent, 5x 96 pcs./stack pack	-	PCR Fortunation of the state of	Standard	!!!!!! !!!!!! !!!!!!	1,920
	70.3050	Pipette tip, 1,000 μl, PCR performance tested, transparent, 500 pcs./bag	_	PCR International Nation (In The Age of Section 1) (In The Age of Section 1)	Standard	M	5,000
	70.3050.020	Pipette tip, 1,000 μ l, PCR performance tested, blue, 500 pcs./bag	_	PCR Total Laboratoria The Total Control Control The Total Control	Colour variant	$\overline{\mathbb{M}}$	5,000
	70.3050.030	Conductive pipette tip, 1,000 μ l, PCR performance tested, black, 500 pcs/bag	_	PCR The state have The state of the state	Conductive	1	5,000

Tip

Identification at a glance! In addition to the familiar color code of the trays, you can now also find the most important information about the tip directly on each tray.

1,250 µl pipette tips

long and versatile



Advanced

Highly transparent material, clear volume rings, optimal suitability for multi-channel pipettes, perfect fit—all this is combined in our newly developed extra long tip. Impressive precision and convenient handling with multi-channel and single-channel pipettes.

Innovative

The sophisticated, new packaging system makes the tip suitable for every application. Our system adapts to your needs. Whether you need high-purity SingleRefills, high throughput StackPacks or simply a filled box—there is a solution for every need.




Ordering information

Vol.	Order no.	Name	Filter	Purity	Design	Inner Packaging	Pieces per Case
	70.3060.275	Low retention filter tip, 1,000 µl*, Biosphere® plus, transparent, 96 pcs./box	+		Low retention	· · · · · · · · · · · · · · · · · · ·	1,920
	70.3060.375	Low retention filter tip, 1,000 µl*, Biosphere® plus, transparent, 96 pcs./single refill	+		Low retention		1,920
	70.3060.255	Filter tip, 1,000 µl*, Biosphere® plus, transparent, 96 pcs./box	+		Standard		1,920
	70.3060.355	Filter tip, 1,000 µl*, Biosphere® plus, transparent, 96 pcs./single refill	+		Standard		1,920
	70.3060.205	Pipette tip, 1,250 μl, Biosphere® plus, transparent, 96 pcs./box	_		Standard		1,920
	70.3060.305	Pipette tip, 1,250 μl, Biosphere® plus, transparent, 96 pcs./single refill	_		Standard		1,920
1.250 µl	70.3060.210	Low retention pipette tip, 1,250 µl, PCR performance tested, transparent, 96 pcs./box	_	PCR well-read with the second	Low retention	·····	1,920
	70.3060.110	Low retention pipette tip, 1,250 µl, PCR performance tested, transparent, 5 x 96 pcs./stack pack	_	PCR Texture Turner Texture Texture Turner Texture Texture Turner Texture Texture	Low retention	 	1,920
	70.3060.200	Pipette tip, 1,250 μ l, PCR performance tested, transparent, 96 pcs./box	_	PCR Professional Basis	Standard	[IIIII]	1,920
	70.3060.100	Pipette tip, 1,250 µl, PCR performance tested, transparent, 5 x 96 pcs./stack pack	_	PCR Textures luces (A) (S) (S) (S) (S) (S) (S) (S) (S) (S) (S	Standard	 	1,920
	70.3060	Pipette tip, 1,250 μ l, PCR performance tested, 500 pcs./bag	_	PCR State Of the Control of the Cont	Standard	1	5,000

You can find the right SARSTEDT tips for your pipette easily and conveniently in our online compatibility chart at www.sarstedt.com.

Compatibility table pipette tips



Pipette manufacturers revise or modify the pipette cones of their pipettors as part of technical changes. Therefore, our recommendations from the compatibility table are intended only as a guideline for orientation. In case of doubt, to be able to check the optimal fit and ejection behaviour of our tips with your pipette, we are happy to provide you with sample tips free of charge.


= no testing carried out MC = multi-channel pipette

= compatible

10 = limited pipetting volumeX = not recommended



Compatibility table pipette tips Biohit-Sartorius® pipettes Gilson® pipettes 0,5-10 µl 0,5-10 µl MC 30-300 µI MC 20/U20 2-20 µ 10-100 p 100-1.000 P10/U10 1-10 I Pipette tips with filter Pipetman® / Ultra / Concept mLine® Mechanical Proline® 70.3010.265 70.3010.285 70.3010.365 70.3010.385 2,5 2,5 2.5 µl 10 µ 70.3010.255 70.3010.275 70.3010.355 70.3010.375 20 µl 70.3020.255 70.3020.275 70.3020.355 70.3020.375 20 µl 70.3030.265 70.3030.285 70.3030.365 70.3030.385 100 µl 70.3030.255 70.3030.275 70.3030.355 70.3030.375 X 100 200 µl 70.3031.255 70.3031.275 70.3031.355 70.3031.375 300 µl 70.3040.255 70.3040.275 70.3040.355 70.3040.375 1,000 µl 70.3050.255 70.3050.275 70.3050.355 70.3050.375 000 nl 70.3060.255 70.3060.275 70.3060.355 70.3060.375 Pipetman® / Ultra / Pipette tips without filter mLine® Mechanical Proline® Concept 70.3010 70.3010.200 70.3010.210 70.3010.210 70.3010.205 70.3010.110 10 pl 70.3020 70.3020.200 70.3020.205 70.3020.305 70.3020.305 20 µl 70.3030 70.3030.305 70.3030.020 70.3030.210 70.3030.200 70.3030.100 70.3030.205 70.3030.110 200 µl 70.3031 70.3031.305 70.3031.020 70.3031.210 70.3031.200 70.3031.100 70.3030.205 70.3031.110 250 µl 70.3040 70.3040.100 70.3040.210 70.3040.210 70.3040.200 70.3040.305 300 µl 70.3050 70.3050.020 70.3050.030 70.3050.030 70.3050.100 70.3050.110 70.3050.305 1,000 µl 70.3060.100 70.3060.205 70.3060.100 70.3060.210 70.3060.110 70.3060.305 70.3060.200 1,250 µl



= no testing carried out MC = multi-channel pipette

= compatible

10 = limited pipetting volume

X = not recommended



Notes		

If you have any questions: We'd be happy to help!

Visit our website: www.sarstedt.com

SARSTEDT, Inc.

1025 St. James Church Road P.O. Box 468 Newton, NC 28658 - 0468

Toll free: +1 800 257 5101

customerservice.us@sarstedt.com www.sarstedt.com

