



Product Specification

Tubo de amostra, Citrato 9NC 0.106 mol/l 3,2%, 2 ml, tampa violeta, (CxØ): 66 x 11,5 mm, com impressão

Page 1



Product description

Order number	47.410
Descrição do artigo	Tubo de amostra, volume nominal: 2 ml, tampa violeta, preparo: Citrato, 4NC, tampa de rosca, (CxØ): 66 x 11,5 mm, fundo plano, com impressão, 100 unid./pacote

Product characteristics

Tipo de retirada	venoso
Tipo de preparo	Citrato, 4NC
Código de cor	EU
Rótulo/impressão	com impressão
Cor impressão/rótulo	violeta
Graduação	sim
Tipo de fechamento	tampa de rosca
Indicado para	Sediplus®
Forma do fundo	fundo plano

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:
2024-07-27

This document was prepared by EDP support and is valid without signature.



SARSTEDT



Product Specification

Tubo de amostra, Citrato 9NC 0.106 mol/l 3,2%, 2 ml, tampa violeta, (CxØ): 66 x 11,5 mm, com impressão

Page 2

Size

Volume nominal	2 ml
Diâmetro	11.5 mm
Comprimento do produto	66 mm
Comprimento com tampa	67 mm
Comprimento sem tampa	66 mm

Material & colours

Cor do produto	transparente
Material de fechamento	High Density Polyethylene (HD-PE)
Cor da tampa	violeta
Material do tubo	Polipropileno (PP)

Purity & certification

Corresponde às exigências	IATA, ADR
Categoria do produto	Diagnóstico in vitro, CE
Certificação CE	CE
Em lotes	sim

Packaging

Quantidade mínima do pedido	500
Tipo de embalagem interior	pacote
Unidades por caixa interna	100
Unidades por caixa	500
Unidades por palete	48000
Profundidade da embalagem externa	348 mm
Largura da embalagem externa	278 mm
Altura da embalagem externa	140 mm
Volume da embalagem externa	0.0135 cbm
Peso do produto	0.0027 kg
Peso da embalagem externa	1.64 kg
EAN da caixa interna	4038917081443
EAN da embalagem externa	4038917000536

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:
2024-07-27

This document was prepared by EDP support and is valid without signature.



SARSTEDT