



## Product Specification

Tubo de amostra, EDTA K3, 3 ml, tampa vermelha, (CxØ): 82 x 11,5 mm, com impressão

Page 1



### Product description

Order number	47.556
Descrição do artigo	Tubo de amostra, volume nominal: 3 ml, tampa vermelha, preparo: K3 EDTA, tampa de rosca, (CxØ): 82 x 11,5 mm, fundo plano, com impressão, 100 unid./pacote

### Product characteristics

Tipo de preparo	K3 EDTA
Concentração do preparo	1,6 mg/ml sangue
Código de cor	EU
Rótulo/impressão	com impressão
Cor impressão/rótulo	vermelha
Graduação	sim
Tipo de fechamento	tampa de rosca
Forma do fundo	fundo plano

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:  
2024-06-30

This document was prepared by EDP support and is valid without signature.



**SARSTEDT**



**Product Specification**  
**Tubo de amostra, EDTA K3, 3 ml, tampa vermelha, (CxØ): 82 x 11,5 mm, com impressão**

**Page 2**

### Size

Volume nominal	3 ml
Diâmetro	11.5 mm
Comprimento do produto	82 mm
Comprimento com tampa	82 µm
Comprimento sem tampa	66 mm

### Material & colours

Cor do produto	transparente
Material de fechamento	High Density Polyethylene (HD-PE)
Cor da tampa	vermelha
Material do tubo	Polipropileno (PP)

### Purity & certification

Corresponde às exigências	IATA, ADR
Categoria do produto	Diagnóstico in vitro, CE
Certificação CE	CE
Em lotes	sim

### Packaging

Quantidade mínima do pedido	2000
Tipo de embalagem interior	pacote
Unidades por caixa interna	100
Unidades por caixa	2000
Unidades por palete	72000
Profundidade da embalagem externa	398 mm
Largura da embalagem externa	398 mm
Altura da embalagem externa	300 mm
Volume da embalagem externa	0.0475 cbm
Peso do produto	0.0027 kg
Peso da embalagem externa	6.2 kg
EAN da caixa interna	4038917082440
EAN da embalagem externa	4038917001533

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:  
2024-06-30

This document was prepared by EDP support and is valid without signature.



**SARSTEDT**