



Product Specification

**Tubo de amostra, EDTA K3, 3 ml, tampa violeta,
(CxØ): 82 x 11,5 mm, com etiqueta de papel**

Page 1



Product description

Order number	47.556.100
Descrição do artigo	Tubo de amostra, volume nominal: 3 ml, tampa violeta, preparo: K3 EDTA, tampa de rosca, (CxØ): 82 x 11,5 mm, fundo cônico com base plana, com etiqueta de papel, 100 unid./pacote

Product characteristics

Tipo de preparo	K3 EDTA
Concentração do preparo	1,6 mg/ml sangue
Código de cor	ISO
Rótulo/impressão	com etiqueta de papel
Cor impressão/rótulo	violeta
Graduação	marcação nominal
Tipo de fechamento	tampa de rosca
Forma do fundo	fundo cônico com base plana

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:
2024-06-30

This document was prepared by EDP support and is valid without signature.



SARSTEDT



Product Specification

**Tubo de amostra, EDTA K3, 3 ml, tampa violeta,
(CxØ): 82 x 11,5 mm, com etiqueta de papel**

Page 2

Size

Volume nominal	3 ml
Diâmetro	11.5 mm
Comprimento do produto	82 mm
Comprimento sem tampa	66 mm

Material & colours

Cor do produto	transparente
Material de fechamento	High Density Polyethylene (HD-PE)
Cor da tampa	violeta
Material do tubo	Polipropileno (PP)

Purity & certification

Corresponde às exigências	IATA, ADR
Categoria do produto	Diagnóstico in vitro, CE
Certificação CE	CE
Em lotes	sim

Packaging

Quantidade mínima do pedido	50000
Tipo de embalagem interior	pacote
Unidades por caixa interna	100
Unidades por caixa	2000
Unidades por palete	72000
Profundidade da embalagem externa	398 mm
Largura da embalagem externa	398 mm
Altura da embalagem externa	300 mm
Volume da embalagem externa	0.0475 cbm
Peso do produto	0.0028 kg
Peso da embalagem externa	6.37 kg
EAN da caixa interna	4038917113304
EAN da embalagem externa	4038917013987

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:
2024-06-30

This document was prepared by EDP support and is valid without signature.



SARSTEDT