




Product Specification

**Pipeta sorológica, com ponta, com filtro, 10 ml,
estéreis, isentos de pirogênios/endotoxinas e
não-citotóxicos, 1 unid./blister**

Page 1



Product description

Order number	86.1254.001
Descrição do artigo	Pipeta sorológica, com ponta, com filtro, 10 ml, cor de codificação: laranja, material: PS, estéreis, isentos de pirogênios/endotoxinas e não-citotóxicos, 1 unid./blister

Product characteristics

Rótulo/impressão	com graduação impressa
Cor impressão/rótulo	laranja/preto
Graduação	sim
Versão	com ponta, com filtro
Volume de trabalho	1 ml - 13 ml
Cor de codificação	laranja

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:
2024-09-01

This document was prepared by EDP support and is valid without signature.



SARSTEDT



Product Specification

**Pipeta sorológica, com ponta, com filtro, 10 ml,
estéreis, isentos de pirogênios/endotoxinas e
não-citotóxicos, 1 unid./blister**

Page 2

Size

Volume nominal	10 ml
Diâmetro	10 mm
Comprimento do produto	335 mm

Material & colours

Material do produto	Poliestireno (PS)
Cor do produto	transparente

Purity & certification

Categoria do produto	Não é um dispositivo médico DIV
Padrão de pureza	estéreis, isentos de pirogênios/endotoxinas e não-citotóxicos
Esterilização	Radiação gama
Isenção de pirogênio	sim
Em lotes	sim

Packaging

Quantidade mínima do pedido	500
Tipo de embalagem interior	blister
Unidades por caixa interna	50
Unidades por caixa	500
Unidades por palete	27000
Profundidade da embalagem externa	420 mm
Largura da embalagem externa	250 mm
Altura da embalagem externa	290 mm
Volume da embalagem externa	0.0305 cbm
Peso do produto	0.0104 kg
Peso da embalagem externa	5.74 kg
EAN da caixa interna	4038917127295
EAN da embalagem externa	4038917021128

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:
2024-09-01

This document was prepared by EDP support and is valid without signature.



SARSTEDT