




Product Specification

**Extremidade de pipeta, 1.250 µl, transparente,
PCR Performance Tested, 480 unid./StackPack**

Page 1



Product description

Order number	70.3060.100
Descrição do artigo	Extremidade de pipeta, volume de trabalho: 1.250 µl, transparente, anéis de nível de enchimento, PCR Performance Tested, adequado para SARSTEDT Sarpette® M, Eppendorf, Gilson, Finnpiquette, Biohit e Brand, bem como modelos idênticos, 480 unid./StackPack

Product characteristics

Graduação	sim
Indicado para	SARSTEDT Sarpette® M, Eppendorf, Gilson, Finnpiquette, Biohit e Brand, bem como modelos idênticos
Volume de trabalho	1.250 µl
Filtro	não
Cor de codificação	azul

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:
2024-07-17

This document was prepared by EDP support and is valid without signature.



SARSTEDT



Product Specification

**Extremidade de pipeta, 1.250 µl, transparente,
PCR Performance Tested, 480 unid./StackPack**

Page 2

Size

Volume máximo	1250 µl
Diâmetro	9 mm
Comprimento do produto	90 mm

Material & colours

Material do produto	Polipropileno (PP)
Cor do produto	transparente

Purity & certification

Categoria do produto	Diagnóstico in vitro, CE
Certificado de conformidade	sim
Certificação CE	CE
Padrão de pureza	PCR Performance Tested
Em lotes	sim

Packaging

Quantidade mínima do pedido	1920
Tipo de embalagem interior	StackPack
Unidades por caixa interna	1920
Unidades por caixa	1920
Unidades por palete	184320
Profundidade da embalagem externa	290 mm
Largura da embalagem externa	267 mm
Altura da embalagem externa	225 mm
Volume da embalagem externa	0.0174 cbm
Peso do produto	0.0013 kg
Peso da embalagem externa	2.97 kg
EAN da caixa interna	4038917432207
EAN da embalagem externa	4038917432191

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:
2024-07-17

This document was prepared by EDP support and is valid without signature.



SARSTEDT