




## Product Specification

**Pipeta sorológica, com ponta, com filtro, 50 ml, estéreis, isentos de pirogênios/endotoxinas e não-citotóxicos, 1 unid./blister**

**Page 1**



### Product description

Order number	86.1256.001
Descrição do artigo	Pipeta sorológica, com ponta, com filtro, 50 ml, cor de codificação: violeta, material: PS, estéreis, isentos de pirogênios/endotoxinas e não-citotóxicos, 1 unid./blister

### Product characteristics

Rótulo/impressão	com impressão
Cor impressão/rótulo	violeta/preto
Graduação	sim
Versão	com ponta, com filtro
Volume de trabalho	4 ml - 60 ml
Cor de codificação	violeta

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:  
2024-07-18

This document was prepared by EDP support and is valid without signature.



**SARSTEDT**



## Product Specification

**Pipeta sorológica, com ponta, com filtro, 50 ml, estéreis, isentos de pirogênios/endotoxinas e não-citotóxicos, 1 unid./blister**

Page 2

### Size

Volume nominal	50 ml
Diâmetro	18 mm
Comprimento do produto	346.6 mm

### Material & colours

Material do produto	Poliestireno (PS)
Cor do produto	transparente

### Purity & certification

Categoria do produto	Não é um dispositivo médico   DIV
Padrão de pureza	estéreis, isentos de pirogênios/endotoxinas e não-citotóxicos
Esterilização	Radiação gama
Isenção de pirogênio	sim
Em lotes	sim

### Packaging

Quantidade mínima do pedido	90
Tipo de embalagem interior	blister
Unidades por caixa interna	30
Unidades por caixa	90
Unidades por palete	6300
Profundidade da embalagem externa	312 mm
Largura da embalagem externa	149 mm
Altura da embalagem externa	409 mm
Volume da embalagem externa	0.019 cbm
Peso do produto	0.0204 kg
Peso da embalagem externa	2.46 kg
EAN da caixa interna	4038917394956
EAN da embalagem externa	4038917394949

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

Date of issue:  
2024-07-18

This document was prepared by EDP support and is valid without signature.



**SARSTEDT**